

NespriFiXX Basis 1 Version **Revision Date:** Print Date Date of last issue: -15.02.2019 1.0 14.02.2019 Date of first issue: 14.02.2019 SECTION 1: Identification of the substance/mixture and of the company/undertaking **1.1 Product identifier** Trade name NespriFiXX Basis 1 1 1.2 Relevant identified uses of the substance or mixture and uses advised against Use of the Sub-: Water-borne coatings stance/Mixture Recommended restrictions : within adequate application - none on use 1.3 Details of the supplier of the safety data sheet Company : Caparol Farben Lacke GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt Telephone : +496154710 Telefax : +49615471222 E-mail address Responsi-: msds@dr-rmi.com ble/issuing person **1.4 Emergency telephone number** Emergency telephone num-: +49615471202 ber 1 **SECTION 2: Hazards identification** 2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008) Skin sensitisation, Category 1 H317: May cause an allergic skin reaction. 2.2 Label elements Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms Signal word Warning 2 Hazard statements May cause an allergic skin reaction.

2

H317

according to Regulation (EC) No. 1907/2006

NespriFiXX Basis 1

Version 1.0	Revision Date: 14.02.2019	Print Date 15.02.2019	Date of last issue: - Date of first issue: 14.02.2019
Preca	autionary statements	label at hand.	dical advice is needed, have product container or out of reach of children.
			ot get in eyes, on skin, or on clothing. protective gloves/ eye protection.
		Response: P302 + P352 water.	IF ON SKIN: Wash with plenty of soap and
	rdous components wh		n the label:

1,2-benzisothiazol-3(2H)-one 2-methyl-2H-isothiazol-3-one

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

.

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
2-methyl-2H-isothiazol-3-one	2682-20-4 220-239-6 01-2120764690-50	Acute Tox. 2; H330 Acute Tox. 3; H311 Acute Tox. 3; H301 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute): 10 M-Factor (Chronic): 1	>= 0,0025 - < 0,025
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute Tox. 2; H330	>= 0,0025 - < 0,025

according to Regulation (EC) No. 1907/2006

NespriFiXX Basis 1

Version 1.0	Revision Date: 14.02.2019	Print Date 15.02.2019	Date of last issue: - Date of first issue: 14.02.2019
Subst	tances with a workpla		M-Factor (Acute): 1 M-Factor (Chronic): 1
	um dioxide	13463-67-7 236-675-5 01-21194893	>= 10 - < 20
Talc ((Mg3H2(SiO3)4)	14807-96-6 238-877-9 01-21201402	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	First aider needs to protect himself. Move out of dangerous area. If you feel unwell, seek medical advice (show the label where possible). Never give anything by mouth to an unconscious person.	
If inhaled	Move to fresh air.	
In case of skin contact	In case of contact, immediately flush skin with soap and plent of water. Do NOT use solvents or thinners.	У
In case of eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.	
If swallowed	If swallowed, DO NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Seek medical advice.	

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment

: No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide.
Unsuitable extinguishing media	:	None known.

according to Regulation (EC) No. 1907/2006

NespriFiXX Basis 1

Version	Revision Date:	Print Date	Date of last issue: -
1.0	14.02.2019	15.02.2019	Date of first issue: 14.02.2019

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire- fighting	:	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.
Further information	:	The product itself does not burn. Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Do not get in eyes, on skin, or on clothing. Material can create slippery conditions. Use protective shoes or boots with rough rubber sole.

6.2 Environmental precautions

· · · · · · · · · · · · · · · · · · ·	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities. Prevent further leakage or spillage if safe to do so.
---------------------------------------	--

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).
		Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal considerations see section 13., For personal protection see section 8., For further information see Section 7 of the safety data sheet.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	No special technical protective measures required. For personal protection see section 8.
Hygiene measures	:	Do not eat, drink or smoke when using this product. Wash hands before eating, drinking, or smoking.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	:	Containers which are opened must be carefully resealed and
areas and containers		kept upright to prevent leakage. Store at room temperature in

according to Regulation (EC) No. 1907/2006

NespriFiXX Basis 1

Versi 1.0	ion	Revision Date: 14.02.2019	• •	int Date .02.2019	Date of last issue: - Date of first issue: 14.02.2019
				•	iner. To maintain product quality, do not irect sunlight. Perishable if frozen.
Advice on common storage		:	Keep away from oxidizing agents and strongly acid or alkaline materials.		
Storage class (TRGS 510)		:	12, Non Combustible Liquids		
		c end use(s) c use(s)	:	Please follow the	technical information.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
titanium dioxide	13463-67-7	AGW (Inhalable fraction)	10 mg/m3 (Titanium dioxide)	DE TRGS 900		
Peak-limit: excur- sion factor (catego- ry)	2;(II)					
Further information	General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in excess of the normal values., Commission for dangerous substances, Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).					
		AGW (Alveolate fraction)	1,25 mg/m3 (Titanium dioxide)	DE TRGS 900		
Peak-limit: excur- sion factor (catego- ry)	2;(II)					
Further information	General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in excess of the normal values., Commission for dangerous substances, Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).					
Talc (Mg3H2(SiO3)4)	14807-96-6	AGW (Inhalable fraction)	10 mg/m3	DE TRGS 900		
Peak-limit: excur- sion factor (catego- ry)	2;(II)					
Further information	General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in excess of the normal values., Commission for dangerous substances, Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).					
		AGW (Alveolate fraction)	1,25 mg/m3	DE TRGŚ 900		
Peak-limit: excur- sion factor (catego- ry)	2;(II)	·				

according to Regulation (EC) No. 1907/2006

NespriFiXX Basis 1

Vers 1.0	sion Revision Da 14.02.2019		rint Date 5.02.2019	Date of last issue: - Date of first issue: 14.02.2019
	Further information	value is es unspecific Commissi	tablished, since the action on the respir on for dangerous su	ubstance no specific occupational exposure limit AGS does not yet have information regarding atory organs in excess of the normal values., bstances, Senate commission for the review of dangerous for the health (MAK-commission).
8.2 E	Exposure controls			
	Personal protective	e equipmen	t	
	Eye protection	:	German trade as	sociation rules - BGR 192 Eye protection
			Safety glasses	
	Hand protection Material Glove thickness Protective index	:	Nitrile rubber 0,2 mm Class 3	
	Remarks	:	gloves clean then	ves tested to EN374. Before removing with soap and water. sociation leaflet: Carry gloves (ZH 1/706)
	Skin and body prote	ction :	Long sleeved clot Safety shoes	hing
				tection according to the amount and con- langerous substance at the work place.
			Skin should be wa	ashed after contact.
				h contaminated clothing before re-use. ication: impervious clothing
	Respiratory protection	on :	No personal resp quired.	ratory protective equipment normally re-
			German trade ass tion	sociation rules - BGR 190 Breathing protec-
				ication: Do not breathe spray dust. Use n filter for paint spraying.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	Not relevant

according to Regulation (EC) No. 1907/2006

NespriFiXX Basis 1

Version 1.0	Revision Date: 14.02.2019		nt Date 02.2019	Date of last issue: - Date of first issue: 14.02.2019
рH		:	not determined	
Me	Iting point/freezing point	:	not determined	
Во	iling point/boiling range	:	not determined	
Fla	ish point	:	Not applicable	
Ev	aporation rate	:	Not applicable	
Fla	mmability (solid, gas)	:	The product is no	ot flammable.
	per explosion limit / Upper mmability limit	:	not determined	
	wer explosion limit / Lower mmability limit	:	not determined	
Va	pour pressure	:	not determined	
Re	lative vapour density	:	not determined	
Re	lative density	:	not determined	
De	nsity	:	1,4900 g/cm3	
So	lubility(ies) Water solubility	:	completely miscil	ble
	rtition coefficient: n- anol/water	:	not determined	
Au	to-ignition temperature	:	not determined	
De	composition temperature	:	Not applicable	
Vis	cosity Viscosity, dynamic	:	No data available	9
Ex	plosive properties	:	Not applicable	
Ox	idizing properties	:	Not applicable	
9.2 Oth	er information			

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

according to Regulation (EC) No. 1907/2006

NespriFiXX Basis 1

Version 1.0	Revision Date: 14.02.2019	Print Date 15.02.2019	Date of last issue: - Date of first issue: 14.02.2019
Haza	rdous reactions	: No decompo	sition if stored and applied as directed.
	litions to avoid itions to avoid	: Protect from	frost, heat and sunlight.
	npatible materials rials to avoid		e with oxidizing agents. e with acids and bases.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:	

Acute oral toxicity	:	Remarks: Based on available data, the classification criteria are not met.
Acute inhalation toxicity	:	Remarks: Based on available data, the classification criteria are not met.
Acute dermal toxicity	:	Remarks: Based on available data, the classification criteria are not met.
Components:		
2-methyl-2H-isothiazol-3-one	. .	
Acute oral toxicity	:	LD50 (Rat): 120 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0,145 mg/l Exposure time: 4 h Test atmosphere: dust/mist Remarks: see user defined free text
1,2-benzisothiazol-3(2H)-one	: :	
Acute oral toxicity	:	LD50 (Rat): 532 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg
Skin corrosion/irritation		
Product:		
Remarks	:	According to the classification criteria of the European Union,

according to Regulation (EC) No. 1907/2006

NespriFiXX Basis 1 Version Date of last issue: -**Revision Date:** Print Date 14.02.2019 15.02.2019 Date of first issue: 14.02.2019 1.0 the product is not considered as being a skin irritant. Serious eye damage/eye irritation **Product:** Remarks According to the classification criteria of the European Union, ÷ the product is not considered as being an eye irritant. Respiratory or skin sensitisation Product: Remarks Causes sensitisation. 5 **SECTION 12: Ecological information** 12.1 Toxicity Product: Toxicity to fish : Remarks: No data available Toxicity to daphnia and other : Remarks: No data available aquatic invertebrates **Components:** 2-methyl-2H-isothiazol-3-one: M-Factor (Acute aquatic tox- : 10 icity) M-Factor (Chronic aquatic : 1 toxicity) 1,2-benzisothiazol-3(2H)-one: M-Factor (Acute aquatic tox- : 1 icity) M-Factor (Chronic aquatic : 1 toxicity) 12.2 Persistence and degradability No data available 12.3 Bioaccumulative potential No data available 12.4 Mobility in soil No data available 12.5 Results of PBT and vPvB assessment Product: Assessment This substance/mixture contains no components considered 1

according to Regulation (EC) No. 1907/2006

NespriFiXX Basis 1

Version 1.0	Revision Date: 14.02.2019		int Date .02.2019	Date of last issue: - Date of first issue: 14.02.2019		
			to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher			
12.6 Othe	er adverse effects					
Prod	luct:					
Addit matio	tional ecological infor- on	:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.			
SECTION 13: Disposal considerations						
13.1 Was	te treatment methods					
Prod	uct	:				
			Waste should not	t be disposed of via wastewater.		
Cont	aminated packaging	:	Only completely of cling.	emptied containers should be given for recy-		
Wasi	te Code	:	used product 080112, waste pa in 08 01 11*	aint and varnish other than those mentioned		

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks

Not classified as dangerous in the meaning of transport regulations.

see sections 6-8

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

:

Not applicable for product as supplied.

according to Regulation (EC) No. 1907/2006

NespriFiXX Basis 1

Version	Revision Date:	Print Date	Date of last issue: -
1.0	14.02.2019	15.02.2019	Date of first issue: 14.02.2019

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mix-ture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated.
REACH - List of substances subject to authorisation (Annex XIV)	:	None

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Water contaminating class (Germany)	:	1 slightly water endangering Classification according to AwSV, Annex 1 (5.2)
Product code for laquers and paints / Giscode	:	M-DF01 Water-based paints, solvent-free
	:	BSW20 Coating materials, water-based
Volatile organic compounds	:	Directive 2004/42/EC < 0.1 % < 1 g/l

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H301 :	Toxic if swallowed.
H302 :	Harmful if swallowed.
H311 :	Toxic in contact with skin.
H314 :	Causes severe skin burns and eye damage.
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H330 :	Fatal if inhaled.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.
H411 :	Toxic to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006

NespriFiXX Basis 1

Version 1.0	Revision Date: 14.02.2019		int Date .02.2019	Date of last issue: - Date of first issue: 14.02.2019					
Full text of other abbreviations									
Acute	e Tox.	:	Acute toxicity	V					
Aqua	tic Acute	:		, acute) aquatic hazard					
	tic Chronic		•	chronic) aquatic hazard					
Eye [Serious eye damage						
Skin			Skin corrosion						
Skin			Skin irritation						
-	Sens.		Skin sensitis						
-	RGS 900	÷		RGS 900 - Occupational exposure limit values.					

: Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw -Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS -Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution form Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration, NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemi

Further information

DE TRGS 900 / AGW

Classification of the mixtur	e:	Classification procedure:	
Skin Sens. 1	H317	Calculation method	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly. This will be put into practice depending on the register-deadline of the substances involved during the transition period from December 1, 2010 till May 31, 2018.

DE / EN